



1

SECOND FLOOR PLAN

SCALE: 1/16" = 1'-0"

USE GROUP THIS FLOOR: R-2 APARTMENT
 NFPA 13 AUTOMATIC SPRINKLER SYSTEM THROUGHOUT PER IBC SECTION 903.2.8

1
A6.2

2-HOUR-RATED FIRE WALL [UL U336]
 CONTINUOUS FROM CONCRETE SLAB BELOW
 TO ROOF, DIVIDING STRUCTURE INTO TWO
 SEPARATE BUILDINGS
 REF: IBC SECTION 706.1
 IBC TABLE 706.4, NOTE A

2
A6.1
 HORIZONTAL EXIT THROUGH 90-MIN. FIRE-
 RATED OPENING
 REF: IBC TABLE 715.4

R-2 USE GROUP [ALL
 AREAS OF THIS
 FLOOR]

11/29/11 CONDITIONAL USE APPLICATION / BOISE RIVER SYSTEM APPLICATION - NOT FOR CONSTRUCTION

Date	11/29/11
Job	11211
Drawn	TPB
Revision	Date

11211_composite [bimservk2a]



River Edge Apartments

1004 W. Royal Boulevard
 Boise, ID 83706

A2

SECOND FLOOR
 PLAN